



SCRUBBER DRIERS - WALK BEHIND

NEW

# CT51

**MAX PRODUCTIVITY**

Up to  
**3150** m<sup>2</sup>/h

**BATTERIES  
RUNNING TIME**

**3,5** h

**WATER TANK  
RUNNING TIME**

Up to **60'**  
working session



MEMORY CARD



**TELEMATICS GPS** (opt)

GEOLOCATION OF  
ALL YOUR MACHINES



ANC  
ADVANCE NOISE CONTROL  
**54 dB**  
IN ECO SELECT MODE



**ONE BRUSH VERSION**



**ROLLER VERSION**



BATTERIES AND BATTERY CHARGER NOT INCLUDED

**MOST FREQUENTLY USE**

RETAIL



HORECA



CLEANING CONTRACTORS



MUNICIPALITIES



**INNOVATIONS**



INTER-  
CHANGEABLE  
BRUSH  
HEAD



SLSTM<sup>™</sup>  
SELF  
LEVELING  
SYSTEM



ANC<sup>™</sup>  
ADVANCE  
NOISE  
CONTROL



ECO  
SELECT



DBL<sup>™</sup>  
DOUBLE  
BATTERY  
LIFE



MEMORY  
CARD



TELEMATICS  
GPS



BACTERIA  
CONTROL



**600**  
RPM  
INTERCHANGEABLE  
BRUSH HEAD


**SPECS**



ADJUSTABLE HANDLE FOR  
A COMFORTABLE AND EASY  
USE.



FULL MACHINE CONTROL  
THANKS TO AN INTUITIVE  
CENTRAL KNOB.



EASY ACCESS NO TOOLS

## TECHNICAL DATA

Code		WHITOUT TRACTION		WITH ELECTRIC TRACTION		
		CT51 B50 LPTB02976	CT51 B55 LPTB01822	CT51 BT55 LPTB01823	CT51 BT60 LPTB01826	CT51 BT70 LPTB01824
<b>PERFORMANCE</b>						
Max theoretical productivity	m <sup>2</sup> /h	1850	1925	2475	2700	3150
Cleaning path	mm	500	550	550	600	700
Water tank capacity (solution recovery)	l	50/53	50/53	50/53	50/53	50/53
Max running time	min	210	210	210	210	210
Voltage	V-Ah	24	24	24	24	24
Installed power	W	1050	1050	1550	1550	1550
Brush pressure	kg	18	18	18	23	23
Squeegee width	mm	815	815	815	1010	1010
Max speed	km/h	3,5	3,5	4,5	4,5	4,5
Weight	kg	81,1	81,4	89,1	97,1	94,6
Dimension (LxWxH)	mm	1328 x 563 x 1033	1328 x 563 x 1033	1329 x 563 x 1033	1279 x 653 x 1033	1279 x 735 x 1033

## STANDARD EQUIPMENT

	CT51 B50	CT51 B55	CT51 BT55	CT51 BT60	CT51 BT70
<b>BRUSHES</b>					
PPL SOFT	SPPV01332	SPPV01352	SPPV01352	2XSPPV01473	2xSPPV01472
<b>SQUEEGEE BLADES</b>					
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08039 - 880mm	MPVR08040 - 1020mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08035 - 900mm	MPVR08036 - 1020mm

## CONSUMABLES (Codes available on price list)

### BRUSHES & PAD HOLDER



### PADS/SUPER PADS



### SQUEEGEE BLADES



## OPTIONAL ACCESSORIES

CODE: KTRI04846  
CHEM DOSE KIT



CODE: KTRI05244  
SPLASH GUARD 55 cm



CODE: KTRI05245  
SPLASH GUARD 60 cm



CODE: KTRI05246  
SPLASH GUARD 70 cm



CODE: KTRI04848  
TOOLS BAR



CODE: KTRI04849  
AUTO-REFILL SYSTEM



CODE: KTRI02257  
EXTERNAL SUCTION KIT



CODE: KTRI04851  
BRUSH HEAD KIT  
(55 VERSION)



CODE: KTRI04852  
BRUSH HEAD KIT  
(60 VERSION)



CODE: KTRI04853  
BRUSH HEAD KIT  
(70 VERSION)



CODE: PRCH00578  
BIOSAN RAPIDE WT  
(30PCS/30DAYS)



## BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [ C5 ]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [ C5 ]	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00132	2	12V 76 Ah [ C5 ]	330x171x236	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubolar plate BAAC00136	2	12V 85 Ah [ C5 ]	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah [ C5 ]	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubolar plate BAAC00070	2	12V 118 Ah [ C5 ]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

## TECHNICAL DATA

	ELECTRONIC BRUSH PRESSURE CONTROL			ROLLER
	CT51 XP60	CT51 XP70	CT51 XP55R	CT51 XP55R
Code	LPTB01828	LPTB01825	LPTB01834	LPTB01834
<b>PERFORMANCE</b>				
Max theoretical productivity	m <sup>2</sup> /h	2700	3150	2475
Cleaning path	mm	600	700	550
Water tank capacity (solution recovery)	l	50/53	50/53	50/53
Max running time	min	210	210	210
Voltage	V-Ah	24	24	24
Installed power	W	1550	1550	2350
Brush pressure	kg	31	31	18
Squeegee width	mm	1010	1010	815
Max speed	km/h	4,5	4,5	4,5
Weight	kg	97,1	94,6	107
Dimension (LxWxH)	mm	1279 x 653 x 1033	1279 x 735 x 1033	1329 x 563 x 1033

## STANDARD EQUIPMENT

	CT51 XP60	CT51 XP70	CT51 XP55R
<b>BRUSHES</b>			
PPL SOFT	2xSPPV01473	2XSPPV01472	-
CYLINDRICAL BRUSH - PPL SOFT Ø 0,3 mm	-	-	SPPV01163
<b>SQUEEGEE BLADES</b>			
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08040 - 1020mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08036 - 1020mm	MPVR06288 - 715mm

## CONSUMABLES (Codes available on price list)

### BRUSHES & PAD HOLDER



### CYLINDRICAL BRUSHES



### PADS/SUPER PADS



### SQUEEGEE BLADES



## OPTIONAL ACCESSORIES

CODE: KTRI04846  
CHEM DOSE KIT



CODE: KTRI05245  
SPLASH GUARD 60 cm



CODE: KTRI05246  
SPLASH GUARD 70 cm



CODE: KTRI04848  
TOOLS BAR



CODE: KTRI04849  
AUTO-REFILL SYSTEM



CODE: KTRI02257  
EXTERNAL SUCTION KIT



CODE: KTRI04851  
BRUSH HEAD KIT (55 VERSION)



CODE: KTRI04852  
BRUSH HEAD KIT (60 VERSION)



CODE: KTRI04853  
BRUSH HEAD KIT (70 VERSION)



CODE: KTRI04854  
ROLLER BRUSH HEAD KIT



CODE: PRCH00578  
BIOSAN RAPIDE WT (30PCS/30DAYS)



## BATTERIES AND BATTERY CHARGERS

BATTERIES	N°	CHARACTERISTICS	DIMENSION	RUNNING TIME	BATTERY CHARGERS
IPC gel battery BAAC00105	2	12V 105 Ah [ C5 ]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah- KTRI04845 DBL stand alone high frequency BLS010 - BACA00133
EXIDE gel battery BAAC00024	2	12V 105 Ah [ C5 ]	345x174x283	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
EXIDE gel battery BAAC00132	2	12V 76 Ah [ C5 ]	330x171x236	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133
Acid tubular plate BAAC00136	2	12V 85 Ah [ C5 ]	308x175x225	150 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Dry charge flate plate BAAC00009	2	12V 105 Ah [ C5 ]	261x171x210	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060
Acid tubular plate BAAC00070	2	12V 118 Ah [ C5 ]	345x170x285	210 min	DBL on board high freq. 24V 15 Ah KTRI04845 DBL stand alone high frequency BLS010 BACA00133 Stand alone Low frequency 24V 12 Ah BACA0060

## TECHNICAL DATA

		CABLE	
		CT51 C50 230V	CT51 C55 230V
Code		LPT E00669	LPT E00646
<b>PERFORMANCE</b>			
Max theoretical productivity	m <sup>2</sup> /h	1750	1925
Cleaning path	mm	500	550
Water tank capacity (solution recovery)	L	50/53	50/53
Max running time	min	210	210
Voltage	V-Ah	230	230
Installed power	W	1100	1100
Brush pressure	kg	18	18
Squeegee width	mm	815	815
Max speed	km/h	3,5	3,5
Weight	kg	-	102,1
Dimension (LxWxH)	mm	1329 x 563 x 1033	1329 x 563 x 1033

## STANDARD EQUIPMENT

	CT51 C50 230V	CT51 C55 230V
<b>BRUSHES</b>		
PPL SOFT	SPPV01332	SPPV01352
<b>SQUEEGEE BLADES</b>		
LATEX FRONT BLADE	MPVR08039 - 880mm	MPVR08039 - 880mm
LATEX REAR BLADE	MPVR08035 - 900mm	MPVR08035 - 900mm

## CONSUMABLES (Codes available on price list)

### BRUSHES & PAD HOLDER



### PADS/SUPER PADS



### SQUEEGEE BLADES



## OPTIONAL ACCESSORIES

CODE: KTRI04847  
SPLASH GUARD 55CM



CODE: KTRI04848  
TOOLS BAR



CODE: KTRI04849  
AUTO-REFILL SYSTEM



CODE: KTRI02257  
EXTERNAL SUCTION KIT



CODE: PRCH00578  
BIOSAN RAPIDE WT  
(30PCS/30DAYS)

